

# $X(4050)^{\pm}$

$I^G(J^{PC}) = 1^-(?^+)$   
 $I, G, C$  need confirmation.

## OMMITTED FROM SUMMARY TABLE

Properties incompatible with a  $q\bar{q}$  structure (exotic state). See the review on non- $q\bar{q}$  states.

Observed by MIZUK 08 in the  $\pi^+ \chi_{c1}(1P)$  invariant mass distribution in  $\bar{B}^0 \rightarrow K^- \pi^+ \chi_{c1}(1P)$  decays. Not seen by LEES 12B in this same mode after accounting for  $K\pi$  resonant mass and angular structure.

## $X(4050)^{\pm}$ MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>4051 <math>\pm 14^{+20}_{-41}</math></b>	<sup>1</sup> MIZUK	08	BELL $\bar{B}^0 \rightarrow K^- \pi^+ \chi_{c1}(1P)$

<sup>1</sup> From a Dalitz plot analysis with two Breit-Wigner amplitudes.

## $X(4050)^{\pm}$ WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>82 <math>\pm 21^{+47}_{-17-22}</math></b>	<sup>1</sup> MIZUK	08	BELL $\bar{B}^0 \rightarrow K^- \pi^+ \chi_{c1}(1P)$

<sup>1</sup> From a Dalitz plot analysis with two Breit-Wigner amplitudes.

## $X(4050)^{\pm}$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1 \quad \pi^+ \chi_{c1}(1P)$	seen
$\Gamma_2 \quad \pi^\pm \psi(3770)$	not seen

## $X(4050)^{\pm}$ BRANCHING RATIOS

### $\Gamma(\pi^+ \chi_{c1}(1P))/\Gamma_{\text{total}}$ $\Gamma_1/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT
<b>seen</b>	<sup>1</sup> MIZUK	08	BELL $\bar{B}^0 \rightarrow K^- \pi^+ \chi_{c1}(1P)$

• • • We do not use the following data for averages, fits, limits, etc. • • •

not seen <sup>2</sup> LEES 12B BABR  $B \rightarrow K\pi \chi_{c1}(1P)$

<sup>1</sup> With a product branching fraction measurement of  $B(\bar{B}^0 \rightarrow K^- X(4050)^+) \times B(X(4050)^+ \rightarrow \pi^+ \chi_{c1}(1P)) = (3.0^{+1.5+3.7}_{-0.8-1.6}) \times 10^{-5}$ .

<sup>2</sup> With a product branching fraction limit of  $B(\bar{B}^0 \rightarrow X(4050)^+ K^-) \times B(X(4050)^+ \rightarrow \chi_{c1} \pi^+) < 1.8 \times 10^{-5}$  at 90% CL.

### $\Gamma(\pi^\pm \psi(3770))/\Gamma_{\text{total}}$ $\Gamma_2/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT
<b>not seen</b>	<sup>1</sup> ABLIKIM	19AR BES3	$e^+ e^- \rightarrow \pi^+ \pi^- D\bar{D}$

<sup>1</sup> From a measurement of  $\sigma(e^+e^- \rightarrow \pi^+\pi^- D\bar{D})$  between  $\sqrt{s} = 4.08$  and  $4.6$  GeV.

---

## X(4050) $^\pm$ REFERENCES

---

ABLIKIM	19AR PR D100 032005	M. Ablikim <i>et al.</i>	(BESIII Collab.)
LEES	12B PR D85 052003	J.P. Lees <i>et al.</i>	(BABAR Collab.)
MIZUK	08 PR D78 072004	R. Mizuk <i>et al.</i>	(BELLE Collab.)

---